

5094379



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

D6101-015
Job Sheet 179408



Part No: D6101-015

Job Qty: 10 ea

Part Name: Saddle Billet



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 6/19/18

Job Tracking No:

Due Date: 7/9/18

Created By: Chantal Lavoie

Type: Stock

Description:

Note: DWG REV B IPP RevA: New issue DD verified by:EC

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	10 pcs		7/9/18	0.00	0.00	Purchasing		OK 18/07/20
110	Packaging	10 pcs		7/9/18	0.00	0.00	Packaging2		OK 18/07/20
120	QC	10 pcs		7/9/18	0.00	0.00	QC18		OK 18/07/21
130	Packaging	10 pcs		7/9/18	0.00	0.00	Packaging3-2		SB 18/07/21
140	QC21-SA	10 Ea		7/9/18	0.00	0.00	QC21		OK 21 JUL 23 2018

Part Op 100 - Issue P/O: 040245 b) 9.450" x 6.250" x 2.50" thick (+0.030 / -0.000) d) Grain direction along 9.450"

Descriptions: length

110 - Ensure material certification is attached

120 - Ensure Material certification comply to Dwg D6101

130 - LOCATION: MAT045

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6101-015P	Aluminum Billet	10 pcs (1 ea)	100-Purchasing	5094376

Job Allocations


Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	D6101-015P	10	0	0

Part Specifications

Specifications could not be found.

Plex 6/19/18 7:47 AM dart.lavoie.chantal

SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

B ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
B D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

RELEASED
09/07/15/WB

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. REV. B	
MFG. APPR.	<i>[Signature]</i>	D6101 SHEET 1 OF 1	
APPROVED	<i>[Signature]</i>	TITLE SCALE	
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075 NTS	
DATE	09.04.23	COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO040245

Supplier: MEC002-VU
Metaux Castle
P.O. Box 4090 Stn A
Toronto
ON
M5W OE9 Canada

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO040245

PO Date: 6/19/18

Due Date: 6/26/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Phone:

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

*email
del 19/2018
pjb*

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1 <i>AT</i>	179408	D6101-015P		Aluminum Billet As per Dwg D6101 Rev. B	Firmed	6/26/18 <i>07/10/18</i>	10 pcs	0 pcs <i>10x</i>	10 pcs	\$52.00/pcs <i>18/07/20</i>	\$520.00
2	179412	D6101-017P		Aluminum Billet As per Dwg D6101 Rev. B	Firmed	6/26/18 <i>07/10/18</i>	20 pcs	0 pcs	20 pcs	\$29.14/pcs	\$582.80
3 <i>AT</i>	179411	D6102-013P		6061-T6 7.0X6.5X2.0 As per Dwg D6102 Rev.D	Firmed	6/26/18 <i>07/10/18</i>	30 pcs	0 pcs <i>30x</i>	30 pcs	\$31.65/pcs <i>18/07/20</i>	\$949.50
										Grand Total:	\$2,052.30

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 6/19/18 9:14 AM Dart.Baker.Diane

SB
CL

**INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 1 of 2

Shipment No:3634350

Ship From: A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped	F.O.B.	Freight Terms		Carrier		BOL No	
27-JUN-18	ORIGIN	Prepaid		YRC		3634350-2	

Shipment Details	Final Destination Branch - TOR
-------------------------	---------------------------------------

Order No 5176924	Line No 1	Item No 752241.MO	Description 2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 6.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 9.45")) X 9.45 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 9.45")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	
Purchase Order No 40245	Part Number YOUR ITEM NUMBER: D6101-015		Ordered Qty 10.00 PCS	Invoice Qty 10.00 PCS

Details	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS
----------------	--

Delivery No. 121916086	Mill/Source CONSTELLUM ROLLED PRODUCTS	Heat Number  94136271	Mech Id	PCS 10	Width (IN)	Length (IN)	Shipped Qty(LBS) 152.7121
----------------------------------	--	--	----------------	------------------	-------------------	--------------------	-------------------------------------

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 27-JUN-2018 04:34:51 PM

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:



Anthony Anderson





CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE & CO.
14001 ORANGE AVE.
PARAMOUNT CA
90723
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110644541		4776		INCLUSION		Serial:20180406-0110644541		Pg 1of2	
CUSTOMER PURCHASE ORDER NO. & ITEM 454317						Constellium ORDER NO. 233483					
ALLOY 7075		CLAD		TEMPER T7351		GAUGE 2.50000 in 63.50 mm		WIDTH 48.50000 in 1,232 mm		LENGTH 144.50000 in 3,670 mm	
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4078J											
PART NUMBER 752241				B/L NUMBER 97644				DATE SHIPPED 04/06/2018			
WT. SHIPPED 7160.000 LB				NO. OF PIECES 000004				GOVT. CONTRACT NO.			
										 Dave Dunbarger - Laboratory Manager	

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."
Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:

ASTM B594 REV 13 2013 100% SONIC W/ 0.12" DEADZONE Class A
AMS QQ-A-250/12A
AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE
ASTM B209-14
BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE
CMMP025 REV U
CSTI006 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE
DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE
GAMPS 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE
MMS 159T
PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

Load Details

Package	Net Lbs	Kg	Lot	Piece	Serial	Parent Lot
1001749077	1,790.000	811.930	9413627	01		
1001749078	1,790.000	811.930	9413627	02		
1001749078	1,790.000	811.930	9413627	03		
1001749079	1,790.000	811.930	9413627	04		

Lot: 9413627 (See test results below)

Tensile - Room Temperature (US)

		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	74.4	74.5	63.4	63.5	12.0	12.0	





Constellium



CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE & CO.
14001 ORANGE AVE
PARAMOUNT CA
90723
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110644541		4776		INCLUSION		Serial:20180406-0110644541		Pg 2of2																															
CUSTOMER PURCHASE ORDER NO. & ITEM 454317						Constellium ORDER NO. 233483			CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26154 USA  Dave Dunbarger - Laboratory Manager																																
ALLOY 7075	CLAD	TEMPER T7351	GAUGE 2.50000 in 63.50 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm																																				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH																																									
CUSTOMER SPECIFICATION AMS 4078J																																									
PART NUMBER 752241			B/L NUMBER 97644		DATE SHIPPED 04/06/2018																																				
WT. SHIPPED 7160.000 LB		NO. OF PIECES 000004		GOVT. CONTRACT NO.																																					
Tensile - Room Temperature (SI) <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Ultimate (N/MM2)</th> <th colspan="2">Yield (N/MM2)</th> <th colspan="2">Elongation (%)</th> <th colspan="2">Report</th> </tr> <tr> <th>Direction</th> <th>Tests</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>LT</td> <td>02</td> <td>513</td> <td>514</td> <td>437</td> <td>438</td> <td>12.0</td> <td>12.0</td> <td colspan="2"></td> </tr> </tbody> </table>														Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report		Direction	Tests	Min	Max	Min	Max	Min	Max			LT	02	513	514	437	438	12.0	12.0		
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report																																	
Direction	Tests	Min	Max	Min	Max	Min	Max																																		
LT	02	513	514	437	438	12.0	12.0																																		
Conductivity % IACS MIN 39.7 MAX 40.0 % MS/M MIN 23.0 MAX 23.2																																									
Chemistry (Actual) <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th></th> <th>SI</th> <th>FE</th> <th>CU</th> <th>MN</th> <th>MG</th> <th>CR</th> <th>ZN</th> <th>TI</th> <th>ZR</th> </tr> </thead> <tbody> <tr> <td>Core</td> <td>0.05</td> <td>0.12</td> <td>1.50</td> <td>0.05</td> <td>2.46</td> <td>0.20</td> <td>5.38</td> <td>0.04</td> <td>0.01</td> </tr> </tbody> </table>													SI	FE	CU	MN	MG	CR	ZN	TI	ZR	Core	0.05	0.12	1.50	0.05	2.46	0.20	5.38	0.04	0.01										
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR																																
Core	0.05	0.12	1.50	0.05	2.46	0.20	5.38	0.04	0.01																																
OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER																																									
All material contained in this lot was cast and manufactured in the USA																																									
QUALITY TEXTS: AMC CA-15413B R 6																																									
THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. CHEMISTRY BY OES: ARKSPARK CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399 WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557 DUNS Number: 090570149; CAGE Code: 1YWLS Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product. "END OF CERTIFICATION"																																									
P-860-155D REVISED: 01 2018																																									

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 16101-015
 DATE: 18/07/20

PO / BATCH NO.: P0040245 / S014376

MATERIAL CERT REC'D: 1/21
 QUANTITY RECEIVED: 10
 QUANTITY INSPECTED: 10
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 2.500"
 THICKNESS RECEIVED: 2.500"
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y ☒ N	
CORRECT FINISH	☒ Y N	
CORROSION	Y ☒ N	
CORRECT GRAIN DIRECTION	☒ Y N	
CORRECT MATERIAL PER M-DRAWING	☒ Y N	AMS QQ-A-250/12
CORRECT THICKNESS	☒ Y N	
PHOTO REQUIRED	Y ☒ N	
CORRECT REF # TO LINK CERT	☒ Y N	HT: 941367
CORRECT MATERIAL IDENTIFICATION	☒ Y N	
CORRECT M# ON THE MATERIAL	☒ Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y ☒ N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y ☒ N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AT</u> DATE: <u>18/07/20</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in